


Learning Glass LGE88 product overview & specifications

Model Part Number:	LGE88
Model Title:	Learning Glass Europe 88" Lightboard
Model description:	Learning Glass Europe 88-inch Lightboard, power supply, integrated dimmer units, legs
Features:	<p>Low-iron tempered glass. Surface treated for smudge free use</p> <p>Presenter lighting element built into frame (no need for external lights)</p> <p>Internal LED's designed for optimal illumination</p> <p>Internal LED's AND external lights have adjustable brightness control for different filming environments</p> <p>Large working surface area: 194cm x 109cm (88"/222cm diagonal)</p>
Installation time:	60 minutes



1. Introduction

The 88" Learning Glass features our surface treated, smudge-free glass, ensuring best clarity and optical performance with minimum streaks and squeaks.

The working area of the unit is 194cm x 109cm. This provides 62% greater work surface than the LGE68 (STUDIO) model and is in the same proportion in terms of dimensions, with a 16:9 ratio.

We created this product to meet the needs of specific Physics and Mathematics faculties that require this larger glass surface to work through long and complex formulae.


The Learning Glass uses best in-class components. Our LED's are a high quality, high density, silicone encased (waterproof) design. They have been tested with over a 100,000-hour lifespan with little to no degradation in performance. All our Lightboard products have fitted external presenter lighting elements, designed to eliminate the need for any additional lighting whilst filming. This is extremely critical in avoiding light spillage and unwanted reflections. They produce a natural white light operating at 4000K. Both internal and external LED's have dimmer control units using pulse width modulation (PWM) to control brightness. These control units operate at extremely high frequency to avoid any 'flicker effect' that may occur with cameras operating at different frame rates and shutter speeds.

Assembly time is around 60 minutes and requires two people to comfortably install this Learning Glass and perform testing.

2. Specifications

ELECTRICAL	
Colour Temperature	4000K
CRI Rating	90+
Max Brightness	<4
Viewing Angle	180°
Input Voltage Range	240V
Input Voltage Frequency	50-60Hz
Max Continuous Power	40W
MECHANICAL	
Dimensions with legs (cm)	200cm x 125cm x 3cm
Work Space - Glass Surface (cm)	194cm x 109cm
Frame Material	High Strength Aluminium
Glass Material	Diamond™ Tempered Glass
Weight	50kg
Connectors	DC 2.1mm Barrel Jack
ENVIRONMENTAL	
Operation Temperature	-40°C to 85°C
Storage Temperature	-40°C to 105°C
Relative Humidity	40% to 95% Electrical

3. Dimensions



Dimensions in cm

4. Wiring Block Diagram

Learning Glass LightGlass Wiring Diagram

